



INVESTOR IN PEOPLE


The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP10 8QQ

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.



Signed


Dated 9 June 2003



Handwritten signature or mark.

Patents Form 1/77

Patents Act 1977
(Rule 16)



20FEB03 8786249-1/001063
P01/7700 01.00-0303830.4
1/77

Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)

The Patent Office

Cardiff Road
Newport
South Wales
NP9 1RH

1. Your reference

JPA.P52575GB

2. Patent application number

(The Patent Office will fill in this part)

0303830.4

3. Full name, address and postcode of the or of each applicant (underline all surnames)

Merrychef Limited
Station Road West
Ash Vale
Aldershot
GU12 5XA

Patents ADP number (if you know it)

If the applicant is a corporate body, give the country/state of its incorporation

United Kingdom

6362479001

4. Title of the invention

Ovens with Catalytic Converters

5. Name of your agent (if you have one)

Marks & Clerk

"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)

4220 Nash Court
Oxford Business Park South
Oxford OX4 2RU
United Kingdom

7271125001 ✓

Patents ADP number (if you know it)

6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number

Country

Priority application number
(if you know it)

Date of filing
(day / month / year)

7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application

Number of earlier application

Date of filing
(day / month / year)

8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if:

Yes

- a) any applicant named in part 3 is not an inventor, or
 - b) there is an inventor who is not named as an applicant, or
 - c) any named applicant is a corporate body.
- See note (d))

Patents Form 1/77

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document

Continuation sheets of this form

Description	5
Claim(s)	2
Abstract	1 DM
Drawing(s)	2 + 2

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (Patents Form 7/77) 1 ✓

Request for preliminary examination and search (Patents Form 9/77) 1 ✓

Request for substantive examination (Patents Form 10/77) 1 ✓

Any other documents
(please specify)

11. I/We request the grant of a patent on the basis of this application.

Signature Marks & Clerk

Date 19/2/03

Marks & Clerk

19 February 2003

12. Name and daytime telephone number of person to contact in the United Kingdom Julian Asquith - 01865 397900


Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- Once you have filled in the form you must remember to sign and date it.
- For details of the fee and ways to pay please contact the Patent Office.

**Statement of inventorship and of
right to grant of a patent**



The Patent Office

Cardiff Road
Newport
South Wales
NP9 1RH

1. Your reference JPA.P52575GB
2. Patent application number
(if you know it) 0303830.4
3. Full name of the or of each applicant
Merrychef Limited
4. Title of the invention
Ovens with Catalytic Converters
5. State how the applicant(s) derived the right
from the inventor(s) to be granted a patent
By virtue of employment
6. How many, if any, additional Patents Forms
7/77 are attached to this form?
(see note (c))
7. I/We believe that the person(s) named over the page (and on any extra copies of this form) is/are the inventor(s) of the invention which the above patent application relates to.

Signature *Marks & Clerk* Date *19/02/03*
Marks & Clerk 19 February 2003
8. Name and daytime telephone number of Julian Asquith - 01865 397900
person to contact in the United Kingdom

Notes

- a) If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- b) Write your answers in capital letters using black ink or you may type them.
- c) If there are more than three inventors, please write the names and addresses of the other inventors on the back of another Patents Form 7/77 and attach it to this form.
- d) When an application does not declare any priority, or declares priority from an earlier UK application, you must provide enough copies of this form so that the Patent Office can send one to each inventor who is not an applicant.
- e) Once you have filled in the form you must remember to sign and date it.

Enter the full names, addresses and postcodes of the inventors in the boxes and underline the surnames

Nigel THORNEYWORK
Merrychef Limited
Station Road West
Ash Vale
Aldershot
GU12 5XA

Patents ADP number (if you know it):

7693609001

Patents ADP number (if you know it):

Reminder

Have you signed the form?

Patents ADP number (if you know it):

OVENS WITH CATALYTIC CONVERTERS

The invention relates to improvements in ovens with catalytic converters.

It is known to use catalytic converters in ovens in order to reduce the smoke output of ovens, particularly when the ovens are used to cook foods containing fat or grease which is likely to evaporate during the cooking process and cause smoke problems. For example, the present applicant's earlier International Patent Application No. PCT/GB00/04156 (WO 01/38798) describes an oven (2) having catalytic converters (38, 40) positioned outside of a cooking chamber (4). The catalytic converters (38, 40) are positioned downstream of grease filters (34, 36) and upstream of fans (26, 28) which are used to drive air out of the cooking chamber (4), along ducting (19), passed a heating element (20), and back into the cooking chamber (4) through perforations formed in the rear wall (10) of the cooking chamber (4). The grease filters (34, 36), catalytic converters (38, 40) and fans (26, 28) are all located outside of the walls of the cooking chamber (4).

German patent DE 3,636,622 describes an oven in which air is drawn through the centre of a baffle plate (3) by a fan (7), and forced outwardly through a concentric heating element (8) which is provided with strips (9) which are provided with a catalytic coating in order to reduce the smoke and odour content of the air. The strips (9) are connected to the heating element 8 so that they reach the temperature required to achieve the catalytic effect. The air then passes around the edges of the baffle plate (3) and back into the cooking chamber. It will be noted that the catalytic converter strips (9) are therefore located downstream of both the fan (7) and the heating element (8).

German patent DE 4,139,904 shows an oven having a similar arrangement. A fan (6) is used to draw air from a cooking chamber through the centre of a baffle plate (4), and to force the air outwardly through a concentric heating element (7) and then through a concentric catalytic converter (8). The catalytic converter (8) is formed from a porous sponge-like wire mesh on which a catalyst is deposited as a coating. The air then passes back around the edges of the baffle plate (4) into the cooking chamber. It will again

therefore be noted that the catalytic converter (8) is located downstream of the fan (6) and heating element (7).

The invention seeks to provide an improved oven having a catalytic converter, which overcomes at least some of the disadvantages of the prior art.

In accordance with the invention there is provided an oven as set out in the accompanying claims.

The invention will now be more particularly described, by way of example only, with reference to the accompanying drawings, in which:

Figure 1 shows a first embodiment of an oven in accordance with the invention;

Figure 2 shows a second embodiment of an oven in accordance with the invention; and

~~Figure 3 shows a third embodiment of an oven in accordance with the invention~~

Referring to Figure 1, there is shown an oven 2 having a cooking chamber 4 defined by chamber walls 6 and a hinged door 8.

The oven 2 is also provided with a fan 10 driven by an electric motor 12. The fan 10 draws in air through perforations (not shown) in the centre of a baffle plate 14, as indicated by air-flow arrow 16.

The air is then driven outwardly through a heating element 18, and then passes around the edges of the baffle plate 14 and back into the main area of the cooking chamber 4, as indicated by air-flow arrows 20.

It will be appreciated that a function of the baffle plate 14 is to ensure a proper air-flow around the cooking chamber 4, as indicated by arrows 16 and 20. The baffle plate 14 does not form part of the walls 6 of the cooking chamber 4, but is instead mounted

within the cooking chamber 4 by suitable supports (not shown). The baffle plate 14 of course also serves to protect the user from contact with the fan 10 and the cooking element 18. The use of baffle plates for these purposes is of course already known, and such baffle plates are used in existing ovens.

However, the oven of Figure 1 is also provided with a catalytic converter 22 which is mounted, by any suitable means (including screws or nuts and bolts), on the upstream face of the baffle plate 14 so as to cover at least some (and preferably all) of the perforations (not shown) in the baffle plate 14.

The positioning of the catalytic converter 22 in this location was the result of a realization by the applicant that a much thinner catalytic converter could be successfully used than had previously been the case. This resulted from experimentation carried out by the applicant. In fact, the thickness of the catalytic converter 22 used in the oven of Figure 1 is only about 2 cm (measured in a direction perpendicular to the main central portion 15 of the baffle plate 14).

In addition, a grease filter 24 is mounted, again by any suitable means, on the upstream side of the catalytic converter 22 in order to remove any large particles of grease which are present in the air before the air reaches the catalytic converter 22.

It will be appreciated that a number of advantages follow from the positioning of the catalytic converter 22 and grease filter 24 in the oven of Figure 1, and these are described below.

Firstly, the fact that the catalytic converter 22 and grease filter 24 are located upstream of the fan 10 and heating element 18 results in a reduction in the build up of grease on the fan 10 and the heating element 18 themselves. These components therefore require less frequent cleaning and can be expected to last longer.

Secondly, the fact that the catalytic converter 22 and grease filter 24 are mounted on the front of the baffle plate 14 makes it easier to replace these components, because access

to these components can be readily obtained via the hinged oven door 8. This is in contrast to the arrangements described in the two German patents mentioned above, in which replacement of the catalytic converter requires removal of the baffle plate. It is also in contrast to the arrangement described in PCT/GB00/04156 mentioned above, in which access to the grease filters and catalytic converters cannot be obtained from within the oven cavity, and access to these components therefore involves stripping down of the outer part of the oven.

Thirdly, the position of the catalytic converter 22 and grease filter 24 is ideally suited to the retro-fitting of these components to existing ovens. The retro-fitting of these components to existing ovens, which arises from the realization that these components can be successfully placed in the locations shown in Figure 1, results in a considerable cost saving. Rather than replacing ovens of this type which have an unsatisfactory smoke output, such ovens can be converted to ovens having a much lower smoke output.

~~Figures 2 and 3 show alternative embodiments of the oven of Figure 1. For simplicity~~

Figures 2 and 3 show only that part of the oven which is contained within the dashed line box 26 shown in Figure 1, and also shown in Figures 2 and 3. In Figures 2 and 3 components which are the same as those of the oven of Figure 1 are shown by the same reference numerals.

In Figure 2 the catalytic converter 22 is mounted to the downstream face of the baffle plate 14, and the grease filter 24 is mounted to the upstream face of the baffle plate 14.

In Figure 3 both the catalytic converter 22 and the grease filter 24 are mounted downstream of the baffle plate 14. The catalytic converter 22 is mounted to the downstream face of the baffle plate 14, and the grease filter 24 is mounted on the downstream side of the catalytic converter 22.

In Figure 1 the air-flow arrows 20 show the air flowing around the two opposite side edges of the baffle plate 14. It should be appreciated that these air-flow arrows are for

illustration only, and in the case of a rectangular baffle plate the air may flow around all four edges of the baffle plate, or around a different number of edges if appropriate.

In still further alternative embodiments, the oven 2 can be of any type, including a conventional electric or gas oven, a microwave combination oven, or a microwave oven (in which case the heating element 18 would not be present).

CLAIMS:

1. An oven comprising:
 - a cooking chamber defined by chamber walls;
 - a baffle plate mounted within the cooking chamber for directing the flow of air within the cooking chamber, said baffle plate being provided with at least one aperture;
 - a fan for moving air within the cooking chamber, and for maintaining a flow of air through said aperture; and
 - a catalytic converter located within the cooking chamber,characterized in that the catalytic converter is mounted both on said baffle plate and upstream of said fan.
2. An oven as claimed in claim 1, wherein said catalytic converter is mounted on the upstream face of said baffle plate.
3. An oven as claimed in claim 2, wherein a grease filter is mounted on the ~~upstream side of said catalytic converter.~~
4. An oven as claimed in claim 1, wherein said catalytic converter is mounted on the downstream face of said baffle plate.
5. An oven as claim in claim 4, wherein a grease filter is mounted on the upstream face of said baffle plate.
6. An oven as claimed in claim 1, wherein a grease filter is mounted on the downstream face of said baffle plate.
7. An oven as claimed in claim 6, wherein a catalytic converter is mounted on the downstream side of said grease filter.
8. An oven as claimed in any preceding claim, wherein a heating element is provided downstream of said fan.

9. An oven as claimed in any preceding claim which is provided with microwave heating means.
10. An oven as claimed in any preceding claim, wherein said baffle plate is arranged so that air flows around at least two opposite edges of the baffle plate.
11. An oven as claimed in any preceding claim, wherein said baffle plate is rectangular and is arranged so that air flows around all four edges of the baffle plate.
12. An oven as claimed in any preceding claim, wherein said baffle plate extends across said cooking chamber from side to side so as to divide said cooking chamber into a cooking area in which, in use, food is cooked, and a second area which houses said fan.
13. An oven as claimed in claim 12, wherein said baffle plate is provided with a plurality of perforations.
14. An oven as claimed in claim 13, wherein said catalytic converter is positioned to cover said perforations.

ABSTRACT

An oven comprises:

- a cooking chamber defined by chamber walls;
 - a baffle plate mounted within the cooking chamber for directing the flow of air within the cooking chamber, said baffle plate being provided with at least one aperture;
 - a fan for moving air within the cooking chamber, and for maintaining a flow of air through said aperture; and
 - a catalytic converter located within the cooking chamber,
- characterized in that the catalytic converter is mounted both on said baffle plate and upstream of said fan.

Please refer to Figure 1.

1/2




FIGURE 1



2/2




FIGURE 2




FIGURE 3

